

**BRBI** BROWN  
RUDNICK  
BERLACK  
ISRAELS LLP

One Financial Center  
Boston, Massachusetts 02111  
617.856.8200  
fax 617.856.8201  
www.brownrudnick.com

**Fax**  
F a c s i m i l e

DATE November 3, 2004

THIS TRANSMISSION CONSISTS OF THIS COVER SHEET AND 1 PAGE(S)

ORIGINAL DOCUMENT TO FOLLOW: YES ☐ NO ☒

If you do not receive all pages, please call Office Services at 617.856.8200

FAX NUMBER 703-872-9306

ATTENTION OF Commissioner for Patents and Trademarks

TELEPHONE NUMBER 703-308-9759

FROM John C. Serio

DIRECT DIAL 617.856.8238

C/M/A # 21221/0001/2253

MESSAGE Status Inquiry Letter  
Patent Application No.: 10/600,176  
Applicant: Stephen Almeida  
Filed: June 20, 2003

**RECEIVED**  
**CENTRAL FAX CENTER**

NOV 3 2004

#1280195 v11 - seriojc - 21221/1

**BEST AVAILABLE COPY**

**CONFIDENTIALITY NOTICE**

The documents accompanying this fax transmission contain information from the law firm of Brown Rudnick Berlack Israels LLP which is confidential or privileged. The information is intended to be for the use of the individual or entity named on this transmission sheet. If you are not the intended recipient, be aware that any disclosure, copying, distribution or use of the contents of this faxed information is prohibited. If you have received this fax in error, please notify us by telephone immediately so that we can arrange for the retrieval of the original documents at no cost to you. Thank you.

Alexandra House  
Ballisbridge, Dublin 4 IRL  
+353.1.884.1738  
fax +353.1.884.1838

CityPlace I  
Hartford, CT 06103  
860.509.6500  
fax 860.509.6501

8 Clifford Street  
London, W1S 2LQ UK  
+44.20.7851.6000  
fax +44.20.7851.8100

120 West 45th Street  
New York, NY 10036  
212.704.0100  
fax 212.704.0186

121 South Main Street  
Providence, RI 02903  
401.276.2600  
fax 401.276.2801

Docket No. 21221/1-CIP-2

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: Stephen Almeida Examiner: Not yet assigned  
Application No.: 10/600,176 Group Art Unit: 3762  
Filed: June 20, 2003 Confirmation No.: 9689  
For: DUAL FILTER MULTIPLE PULSE PHOTO-DERMATOLOGICAL  
DEVICE WITH PRE/POST OPTICAL HEATING,  
QUASILOGARITHMIC SPACING, AND LASER ROD SPECTRUM  
INFUSION

\*\*\*\*\*  
CERTIFICATE OF FACSIMILE

I hereby certify that this paper (along with any paper referred to as being attached or enclosed) is being facsimile transmitted to:  
703-872-9306, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, on the date shown below.

By: Sandra Wittup Date: Nov. 3, 2004  
Sandra Wittup

\*\*\*\*\*  
STATUS INQUIRY LETTERRECEIVED  
CENTRAL FAX CENTER

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

NOV 3 2004

Sir:

This case was filed on June 20, 2003. The Response to Notice to File Missing Parts was  
filed on November 13, 2003. Kindly inform us of the status of this case.

Respectfully submitted,

Dated: November 3, 2004

By: [Signature]  
John C. Seid, Reg. No. 39,023  
Customer No. 21710  
Attorney for Applicants  
Brown Rudnick Berlack Israels LLP  
One Financial Center  
Boston, MA 02111  
Tel: 617-856-8238  
Fax: 617-856-8201

**This Page is Inserted by IFW Indexing and Scanning  
Operations and is not part of the Official Record**

**BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** \_\_\_\_\_

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.**